|  | Application No.   | Applicant(s)   |
|--|---|--|
|  |   |  |
| Notice of Allowability   | 10/829,124<br>Examiner  | JONGSMA ET AL. Art Unit  |
| Notice of Allowability   | Examiner  | Artomic  |
|  | Joseph Lauture  | 2819   |
| The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313  | (OR REMAINS) CLOSED in or other appropriate commits (GHTS). This application is | n this application. If not included unication will be mailed in due course. <b>THIS</b>                                      |
| 1. This communication is responsive to correspondence filed 11/15/2004.  |   |  |
| 2. The allowed claim(s) is/are <u>1-25</u> .   |   |  |
| 3. The drawings filed on 21 April 2004 are accepted by the Examiner.   |   |  |
| <ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority ureal.</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the: <ol> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul> | been received. been received in Applicati                                       | on No  |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  |   | e a reply complying with the requirements .  |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.   |   |  |
| 6. CORRECTED DRAWINGS (as "replacement sheets") mus  | st be submitted.  |  |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached   |   |  |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date   |   |  |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of<br>Paper No./Mail Date  |   |  |
| Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t   | .84(c)) should be written on the header according to 37 C                       | the drawings in the front (not the back) of FR 1.121(d).   |
| 7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT  | SIT OF BIOLOGICAL MAT<br>FOR THE DEPOSIT OF BI                                  | ERIAL must be submitted. Note the OLOGICAL MATERIAL.   |
| Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 72804  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material   | 6. ☐ Interview S<br>Paper No<br>08), 7. ☐ Examiner's                            | nformal Patent Application (PTO-152) Summary (PTO-413), ./Mail Date s Amendment/Comment s Statement of Reasons for Allowance |
|  |   |  |

Application/Control Number: 10/829,124

Art Unit: 2819

## Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: the prior arts of record fail to teach a an apparatus and method comprising: a multiplexer connected to a plurality of analog inputs provided by an analog system; a reference source providing a first reference; an analog-to-digital converter providing a sequence of digital outputs; and a control circuit actuating the select input of the multiplexer to select the sequence of the analog outputs, the control circuit comparing the sequence of digital outputs to a stored sequence of normal ranges that correspond with the digital outputs to provide an error output when at least one of the digital outputs is not in its normal range, the control circuit further providing a real time output that represents a useful parameter of the analog system.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/829,124

Art Unit: 2819

## **CONTACT INFORMATION**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph Lauture, whose telephone number is (571) 272-1805. The examiner can normally be reached Monday thru Friday between 9:30 am and 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Tokar can be reached at (571) 272-1812. The fax number for the organization to which this application is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the group receptionist whose telephone number is (571) 272-1562.

Joseph Lauture Group: 2819

Date: 11/26/2004

Pegy Tean Praise